



---

# WFM SE12000-MTHE AVR

## Product description:

### GENERATOR RENTAL 12KVA AVR SET WFM SE12000-MTHE ELECTRIC GROUP

Generator Rental 12KVA WFM SE12000-MTHE singlephase / threephase generator set equipped with Honda GX690R gasoline engine capable of delivering a maximum power of 12KVA, complete with AVR **voltage regulator**.

Generator Rental 12KVA AVR WFM SE12000-MTHE is a generator set equipped with a protection cabin that makes it super silenced, equipped with electric start, single-phase output of 4KVA and three-phase output of 12 KVA.

## RENTAL SERVICE

Generator 12KVA has never been easier: choose the product you want to rent and FILL OUT THE FORM.

Our specialized staff will respond immediately with the offer that best suits you!

The equipment available for rental can be shipped throughout Italy and is always ready for action: our team of technicians will always keep it in perfect working condition.

It is advisable to book in advance for the rental of large quantities of machines: this is especially important in conjunction with trade fairs or events, where many people will be using the rental service.

## Voltage Regulator AVR

The Generator 12KVA AVR WFM SE12000-MTHE is equipped with an AVR. The AVR is a device that allows you to **keep the output more constant and less dependent on the load**. Thanks to this card there are fewer drops or spikes in current and this makes it safer to use the various devices connected, improving performance and durability.

## Main Features of Generator Rental 12KVA AVR WFM SE12000-MTHE:





- Soundproof protection frame
- Original Honda or Lombardini engine
- Low oil level protection
- Silencer muffler
- Primary Italian brand alternator
- Electric start with 12V battery
- Full load test with test certificate

#### TECHNICAL FEATURES WFM SE12000-MTHE

Phase Type: Single-phase / Three-phase  
Continuous Singlephase Power: 3.3 KVA / 2.6 KW  
Maximum Singlephase Power: 4 KVA / 3.2 KW  
Continuous Threephase Power: 10 KVA / 8 KW  
Maximum Threephase Power: 12 KVA / 9.6 KW  
Factor cos  $\phi$ : 0.8  
VAC voltage: 230 / 400 V  
Frequency (Hz): 50  
Voltage regulator: AVR  
Start-up switch: manual  
Motor: Honda GX690R  
RPM: 3000  
Supply: Gasoline  
Tank capacity: 20 l  
Consumption: 4.6 l/h @ 100 % of load  
Autonomy: 4.34 h @ 100 % of load  
Acoustic pressure: 67 @ 7m  
Length: 1070 mm  
Width: 563 mm  
Height: 921 mm  
Net weight: 210 Kg

Are you looking to rental a generator set with different technical characteristics? Here you can find our entire rental fleet where you can find the perfect generator for you.

Available for Turin and all of Italy.

Images are for guidance only.

#### Product features:

Phase: Single phase / Three phase  
Maximum power single phase (KW): 3.2





Continuous power single phase (KW): 2.6  
Maximum power single phase (KVA): 4  
Continuous power single phase (KVA): 3.3  
Maximum power three phase (KW): 9.6  
Continuous power three phase (KW): 8  
Maximum power three phase (KVA): 12  
Continuous power three phase (KVA): 10  
Fuel: Gasoline  
Frequency (Hz): 50  
Voltage (V): 230 / 400  
Sockets configuration: 1 CEE 5P 400V 16A + 1 CEE 3P 230V 16A  
Engine: Honda GX690  
Engine rpm (rpm): 3000  
Starting system: Electric  
Engine capacity (cm<sup>3</sup>): 688  
Number cylinders: 2  
Oil capacity (L): 1.9  
Cooling: Air  
Fuel tank capacity (L): 20  
Consumption (L/h): 4.6 at 100% of the load  
Running time (h): 4.34 at 100% of the load  
Acoustic power: 92 dB(A)  
Acoustic pressure: 67 dB(A)  
Length (mm): 1070  
Width (mm): 563  
Height (mm): 921  
Dry weight (Kg): 210  
Silenced: Yes  
Super silenced: Yes  
ATS Switch device : No  
Voltage regulator: AVR  
Engine manufacturer: Honda

